




"T" LIDS



STRAIGHT TYPE PENTAHEAD
BOLT FOR "T" BOX



NOTES:

1. SEE CITY OF GLENDALE SPECIFICATIONS FOR PULL BOX MATERIAL REQUIREMENTS.
2. SEE STANDARD T2-10 FOR TYPICAL PULL BOX INSTALLATION DETAILS.
3. COVER LETTERING SHALL BE 1" LETTERS. LETTERING SHALL READ "TRAFFIC SIGNALS" FOR TRAFFIC SIGNAL BOXES OR "COG COMMUNICATIONS" FOR ITS/INTERTIE/FIBEROPTIC PULL BOXES.
4. ALL HARDWARE REQUIRED TO SECURE THE LID SHALL BE SUPPLIED BY THE CONTRACTOR.

SPECIFICATIONS FIBRELYTE FL36 BOX 17"X30" (NO. 7)

SPECIFICATIONS OF ACCEPTABLE FIBRELYTE PRODUCTS

CHRISTY ORDERING CODE	ITEM	DESCRIPTION
FL36BOX12	BOX	36FL BOX (17"X30" I.D. X 12" HIGH)
FL36T	LID	HIGH 36FLT FIBRELYTE LID, BOLT DOWN
FL36X8	EXTENSION	36FL 8" HIGH EXTENSION

SIGNATURES
ON FILE



CITY OF GLENDALE
TRAFFIC SIGNAL AND ITS STANDARDS

NO. 7 FIBRELYTE PULL BOX

REVISION:
6/2007

T2-7